



**VALUE SERIES
RESTAURANT RANGE**

Vulcan

570098

Value Series Restaurant Range, 36", (6) 28,000 BTU burners with lift-off burner heads, standard oven base, stainless steel front, sides, back riser and high shelf, fully MIG welded chassis, 6" adjustable legs, 203,000 BTU, CSA, NSF. Optional casters available. #953793 with brakes, #953792 no brakes. Sold by each.

Packed: ea



ENDURANCE RESTAURANT RANGE

Vulcan

610547

Endurance™ Restaurant Range, 36", (6) 30,000 BTU burners with lift-off burner heads, 27" deep, (1) standard oven base, stainless steel front, sides, backriser and lift-off high shelf, fully MIG welded chassis, 6" adjustable legs, 215,000 BTU, CSA, NSF. Optional casters available. #953793 with brakes, #953792 no brakes. Sold by each.

Packed: ea



GAS CONVECTION OVENS

Vulcan

570097

Convection Oven, Gas, 1-deck, standard depth, solid state controls, electronic spark igniter, 25-3/4" high legs, stainless steel front, top and sides, stainless steel door with window, 44,000 BTU. Optional caster legs available. #570101, set of 4.

Packed: ea



570097

570096

Convection Oven, Gas, double-deck, standard depth, solid state controls, electronic spark igniters, 8" high legs, stainless steel front, top and sides, stainless steel doors with windows, 44,000 BTU each section

Packed: ea

S-SERIES RESTAURANT RANGE

Southbend

610535

S-Series Restaurant Range, gas, 36" W, (6) 28,000 BTU Open Burners, (1) 35,000 BTU standard oven with snap action thermostat, (6) removable one piece cast iron grate tops, stainless steel front, sides and removable shelf, 4" stainless steel front rail, removable one piece crumb drawer, hinged lower valve panel, metal knobs, 6" stainless steel adjustable legs, CSA, NSF, total BTU'S (NAT) 203,000

Packed: ea



ULTIMATE RESTAURANT RANGE

Southbend

610534

Ultimate Restaurant Range, Gas, 36", 6 Non-Clog burners with standard grates, standard oven base, standing pilot, 22-1/2" flue riser with heavy duty shelf, stainless steel front, sides and shelf, 6" adjustable legs, 243,000 BTU, CSA, NSF

Packed: ea



SILVERSTAR CONVECTION OVEN

Southbend

610536

SilverStar Convection Oven, Gas, double-deck, standard depth, solid state controls, stainless steel front, top and sides, aluminized steel rear, 60/40 dependent doors, interior light, 6" stainless steel legs, 144,000 BTU, 120v/60/1, NEMA 5-15P, 1/2hp fan and motor, CSA, NSF, ENERGY STAR®

Packed: ea



VALUELINE GAS FRYERS

Pitco Frialator

360178

Fryer 40lb Stainless Pot, Door and galvanized sides on Legs. Optional casters available. #953793 with brakes, #953792 no brakes. Sold by each.

Packed: ea

360175

Fryer, gas, medium-duty restaurant design, 65-80 lb. fat cap., millivolt thermostat, s/s tank, door and front, 6" legs, 150,000 BTU. Optional casters available. #953793 with brakes, #953792 no brakes. Sold by each.

Packed: ea



ECONOMY GAS FRYER

Vulcan

360191

Fryer, Gas, 15-1/2" W, free-standing, 120,000 BTU, 14" x 14" tank size, 45-50 lb shortening capacity, millivolt thermostat controls, twin baskets, 3/4" rear gas connection, legs, stainless steel front top, door and fry tank, CSA, NSF. Optional casters available. #953793 with brakes, #953792 no brakes. Sold by each.

Packed: ea



SOLSTICE GAS FRYERS

Pitco Frialator

360060

Solstice Fryer, gas, heavy duty floor model, 40-50 lb. oil capacity, millivolt control, stainless steel tank, front and sides, 110,000 BTU. Optional casters available. #953168 with brakes, #953791 no brakes. Sold by each.

Packed: ea

360107

Solstice Fryer, gas, heavy duty floor model, 70-90 lb. oil capacity, millivolt controls, stainless steel tank, front and sides, 140,000 BTU. Optional casters available. #953168 with brakes, #953791 no brakes. Sold by each.

Packed: ea



360107

FREE STANDING GAS FRYER

Vulcan

360193

Fryer, Gas, 15-1/2" W, free-standing, 120,000 BTU, stainless steel cabinet and 14" x 14" fry tank, 45-50 lb. shortening capacity, millivolt thermostat controls, twin baskets, adjustable casters - 2 locking, 1/2" ID / 3/4" OD rear gas connection, CSA, NSF

Packed: ea



HEAVY DUTY GAS GRIDDLES

Vulcan

360196

Heavy Duty Gas Griddle, 54,000 BTU, 24" W x 24" D x 1" thick polished steel griddle plate, embedded mechanical snap action thermostat every 12", millivolt pilot safety, manual ignition, countertop, low profile, stainless steel front, sides, front top ledge with "Cool Bullnose", front grease trough, grease can, heavy gage 4" back and tapered side splashes, 4" adjustable legs, CSA, NSF

Packed: ea



360196

360197

Heavy Duty Gas Griddle, 81,000 BTU, 36" W x 24" D x 1" thick polished steel griddle plate, embedded mechanical snap action thermostat every 12", millivolt pilot safety, manual ignition, countertop, low profile, stainless steel front, sides, front top ledge with "Cool Bullnose", front grease trough, grease can, heavy gage 4" back and tapered side splashes, 4" adjustable legs, CSA, NSF

Packed: ea

STAR-MAX® GRIDDLES

Star Mfg.

345430

Star-Max® Heavy Duty Griddle, countertop, gas, 24"L, 27-3/4"D, 15-1/2"H, 1" steel griddle plate, manual controls every 12", heavy duty knobs, aluminum steel construction, stainless steel front with black trim, wrap-around stainless steel splash guard, grease trough and stainless steel drawer, 4" legs, 56,600 BTU

Packed: ea



345430

345431

Star-Max® Heavy Duty Griddle, countertop, gas, 36"L, 27-3/4"D, 15-1/2"H, 1" steel griddle plate, manual controls every 12", heavy duty knobs, aluminum steel construction, stainless steel front with black trim, wrap-around stainless steel splash guard, grease trough and stainless steel drawer, 4" legs, 84,900 BTU

Packed: ea

STAR-MAX® CHARBROILERS

Star Mfg.

345434

Star-Max® Charbroiler, countertop, gas, 24"L, heavy gauge stainless steel radiants, aluminized steel, stainless steel front with black trim, adjustable manual control valve, heavy duty cast iron broiling grates, stainless steel wrap-around splash guard, heavy duty knobs, stainless steel water pan, 4" legs, 80,000 BTU

Packed: ea



345434

345435

Star-Max® Charbroiler, countertop, gas, 36"L, heavy gauge stainless steel radiants, aluminized steel, stainless steel front with black trim, adjustable manual control valve, heavy duty cast iron broiling grates, stainless steel wrap-around splash guard, heavy duty knobs, stainless steel water pan, 4" legs, 120,000 BTU

Packed: ea

COMMERCIAL MICROWAVE OVENS

MenuMASTER

530182

MenuMASTER® Commercial Microwave Oven, countertop, 1000 watts, 10 min. dial timer, 4 power level, stackable, interior light, Grab and Go door handle, stainless steel exterior and interior, non-removable air filter, side hinged door with glass window, 120v/60/1-ph, 15.0 amps, NEMA 5-15P, ETL listed

Packed: ea



530182

530091

MenuMASTER® Commercial Microwave Oven, 1000 watts, low volume, stainless steel exterior wrap and interior, 10 menu pads with capacity to program 20 menus, 5 power levels, 3-stages, braille touch pads, sealed in ceramic shelf, side hinged door with glass window, limited 3-yr warranty, 120v/60/1-ph, 9.6 amps, 15 MCA, 5' cord and NEMA 5-15P, UL, ETL

Packed: ea

530098

MenuMASTER® Commercial C-Max Microwave Oven, 1200 watts, heavy volume, compact, stackable, stainless steel interior and exterior, X2 quantity pad, 11 power levels, 100 memory settings, side hinged door, full 3-year warranty, 120v/60/1-ph, 1900 total watts, 16.8 amps, 20 MCA, 5' cord and NEMA 5-20P

Packed: ea

ACHIEVER CHARBROILERS

Vulcan

360198

Achiever Charbroiler, 25-3/8" W, countertop, (4) cast iron 17,000 BTU burners with standing pilots and cast iron radiants, heat deflector tray, supercharger burner dividers, high range infinite heat control valves, fully welded chassis, stainless steel front, sides, top trim, backsplash and grease trough, cast iron top grates, 4" adjustable legs, 68,000 BTU, CSA, NSF

Packed: ea



360199

360199

Achiever Charbroiler, 36-1/8" W, countertop, (6) cast iron 17,000 BTU burners with standing pilots and cast iron radiants, heat deflector tray, supercharger burner dividers, high range infinite heat control valves, fully welded chassis, stainless steel front, sides, top trim, backsplash and grease trough, cast iron top grates, 4" adjustable legs, 102,000 BTU, CSA, NSF

Packed: ea

360200

Achiever Charbroiler, 46-3/4" W, countertop, (8) cast iron 17,000 BTU burners with standing pilots and cast iron radiants, heat deflector tray, supercharger burner dividers, high range infinite heat control valves, fully welded chassis, stainless steel front, sides, top trim, backsplash and grease trough, cast iron top grates, 4" adjustable legs, 136,000 BTU, CSA, NSF

Packed: ea

ELECTRIC COUNTERTOP FRYER

Globe

745034

Fryer, electric, countertop, 10 lb. capacity, 70°-375° thermostat, manual reset, removable control box and element, (2) chrome-plated fry baskets with insulated handles, nesting bar, swing up element, lift-out fry pot, 3-1/2" stainless steel adjustable feet and construction, 120v/60/1-ph, 1700 watts, 14 amps, NEMA 5-15P, NSF, cULus

Packed: ea



CHEFMATE™ HOT PLATE

Globe

860041

Chefmate™ 12" Hot Plate, 2 burner, heavy-duty cast iron grates, 25,000 BTUs per burner, stainless steel construction, adjustable pilots with front access, cool-to-touch front edge, adjustable legs with stainless steel feet, Natural Gas with LP conversion kit included, CSA Sanitation, NSF/ANSI 4, CSA Blue Star

Packed: ea



GRILL EXPRESS™ TWO-SIDED GRILL

Star Mfg.

031278

Grill Express™ Two-Sided Grill, electric, 20" w fixed lower grill, (2) hinged upper grills, smooth/grooved iron grill plates, thermostatic control, stainless steel front and sides

Packed: ea



031296

031296

Grill Express™ Two-Sided Grill, electric, 20" w fixed lower grill, (2) hinged upper grills, grooved iron grill plates, thermostatic control, stainless steel front and sides

Packed: ea

PRO-MAX® PANINI GRILL

Star Mfg.

031295

Pro-Max® "Panini" Grill, electric, 14"x14" fixed lower grill, hinged upper grill, grooved hardened aluminum grill plates, thermostatic control with off position, bottom splash guard, removable grease drawer, stainless steel front and sides, adjustable feet, cULus, CE

Packed: ea



POP-UP TOASTERS

Waring

646102

Combination Toaster, heavy-duty, (2) wide 1-1/8" slots, (2) extra wide 1-1/2" slots, (4) slice capacity, 380 slices per hour, wide bagel slots toast on one side only, electronic browning controls, removable crumb tray, stainless steel finish, 2025 watts, 17 amps, NEMA 5-20P, 120v, 50/60Hz, ETL, NSF listed

Packed: ea

646101

Commercial Toaster, heavy-duty, (4) wide 1-1/8" slots, (4) slice capacity, 300 slices per hour, electronic browning controls, removable crumb tray, stainless steel finish, 2200 watts, 19 amps, NEMA 5-20P, 120v, 50/60Hz, ETL, NSF listed

Packed: ea



646101

646110

Commercial Toaster, (2) extra wide 1-3/8" extra long slots, (4) slice capacity, electronic browning controls, removable crumb tray, brushed chrome steel, 6 ft. cord with 3-prong plug, 120v, 60Hz, NSF, UL and CUL listed

Packed: ea

AT EXPRESS CONVEYOR TOASTER

APW Wyott

646104

Conveyor Toaster, electric, countertop design, 1-1/2" high x 10" wide opening, variable speed, top and bottom heat controls, approximately 300 units/hour capacity, stainless steel front, top, and sides

Packed: ea



CONVEYOR TYPE TOASTER

Belleco

646111

Conveyor Toaster, electric, 10-1/2"W conveyor belt, 1-1/2" product clearance, 350 slices or bun halves per hour, variable speed control, power saver switch, stainless steel construction, cool touch exterior, 1" adjustable legs, ETL listed in the USA and Canada, ETL Sanitation classified to NSF 4, CE listed

Packed: ea



PLANETARY MIXERS

Globe

345633

345633

Planetary Mixer, 5 qt., countertop model, 10 variable-speed, #10 attachment hub, polycarbonate splash cover, includes all stainless steel 5 qt. bowl, spiral dough hook, whip and beater attachments, cast aluminum body, bowl lift, thermal overload protection, gear driven high torque transmission, 6 ft cord and plug, 115v/60/1-ph, 4 amps, 800 watts, NEMA 5-15P, NSF, cETLus

Packed: ea



550503

Planetary Mixer, 20 qt., bench model, 3 fixed-speed, #12 hub, includes: removable stainless steel bowl guard with built-in ingredient chute, 20 qt. stainless steel bowl, aluminum spiral dough hook, stainless steel whip and aluminum beater, cast iron body and bowl lift, gear driven high torque transmission, digital controls with 60 minute timer, non-slip rubber feet, 6 ft cord and plug, 1/2 HP, 115v/60/1-ph, 6 amps, NEMA 5-15P, NSF, cETLus

Packed: ea

PLANETARY STAND MIXER

Waring

198358

Stand Mixer, 7 qt. capacity, 12 mixing speeds, full die cast housing, includes stainless steel bowl, mixing paddle, whisk, dough hook and splash guard with feed chute, 120v, 60 Hz, cETLus, NSF listed
Packed: ea



MANUAL FOOD SLICERS

Globe

745032

Food Slicer, manual, 12" diameter knife, 0 to 9/16" slice thickness, removable gravity feed food chute, top mounted sharpener, slice deflector and knife cover, belt driven, ball bearing chute slide system, rubber feet, anodized aluminum, 1/3 HP, 115v/60/1, 3 amps, NEMA 5-15P, cETLus, NSF/ANSI 8-2010
Packed: ea

745037

Food Slicer, manual, medium duty, 12" diameter knife, top mounted sharpener, belt driven, ball bearing chute slide, attached knife ring guard, knife cover interlock, removable slice deflector, power indicator light, motor overload protection with manual reset, anodized aluminum construction, 1/2 HP, 115v/60/1, 3 amps, NEMA 5-15P, cETLus, NSF/ANSI 8-2010
Packed: ea



745037

COMMERCIAL FOOD PROCESSOR

Robot Coupe

198000

Commercial Food Processor, 3 qt. clear polycarbonate bowl w/handle, kidney-shaped opening, vegetable prep attachment with external ejection, "S" blade, 27577 5/64" (2mm) grating disc and 27566 5/32" (4mm) slicing disc, continuous feed, bowl attachment designed for vertical cutting and mixing, on/off and pulse switch, single speed, 1725 RPM, 120v/60/1-ph, 7 amps, 1 HP, ETL electrical and sanitation, cETL
Packed: ea



CENTAUR® PLANETARY MIXER

Centaur

031273

Centaur® Planetary Mixer, bench, 20-qt. capacity, all-purpose, #12 front port, (3) fixed agitator and attachment speeds, thermal overload protection, 15-minute timer, stainless steel wire bowl guard, manual bowl lift, includes: 304 stainless steel bowl, aluminum flat beater, aluminum spiral dough hook, and stainless steel wire whip, gear-driven, cast iron body, non-slip rubber feet, 1 year parts and labor warranty, 1/2 HP, 115v/60/1-ph, cETLus, NSF
Packed: ea



MANUAL MEAT SLICERS

Berkel

745040

Slicer, manual, angled gravity feed, one-speed, 12" dia. C.S. knife, permanent knife guard, built-in sharpener, 6' cord and plug, 1/3 HP, 115v/60/1-ph, 3.1 amps, ETL, NSF
Packed: ea



745040

745041

Slicer, manual, 45° angled gravity feed, 12" dia. C.S. knife, cast aluminum base, belt-driven blade assembly, built in sharpener, 6' cord and plug, 1/2 HP, 115v/60/1-ph, 4 amps, cETLus, NSF
Packed: ea

SERIES B COMMERCIAL POWER MIXERS

Robot Coupe

198350

Series B Commercial Power Mixer, hand held, 14" s/s shaft, removable s/s foot and blade, automatic single speed 12,000 RPM, 120v/60/1-ph, 5.5 amps, 660 watt, 1 HP, ETL electrical and sanitation, cETL
Packed: ea

198325

Series B Commercial Power Mixer, hand held, 18" s/s shaft, removable s/s foot and blade, automatic single speed 12,000 RPM, 120v/60/1-ph, 6.0 amps, 720 watt, 1.1 HP, ETL electrical and sanitation, cETL
Packed: ea



198350

QUIK STIK PLUS™ IMMERSION BLENDER

Waring

198010

Quick Stik Plus™ Immersion Blender, medium duty, 12 qt. (3 gallon) capacity, 7" stainless steel fixed shaft, stainless steel blade, 2-speed motor, rubberized comfort grip, 6' cord with 3-prong plug, 120v/60/1-ph, 100W, NSF, ETL

Packed: ea



BIG STIK IMMERSION BLENDER

Waring

198500

Big Stik® Immersion Blender, heavy duty, 100 qt. capacity, 16" stainless steel removable shaft, variable speed motor, continuous ON feature, rubberized comfort grip, 1 HP, 120v, 750W, 6.25 amps, ETL, NSF

Packed: ea



KOFFEE KING COFFEE BREWERS

Bloomfield Ind.

085076

Koffee King Coffee Brewer, low profile, fresh brew, pour over, single brewer, 2 warmers (1 lower, 1 upper), stainless steel construction, NSF, UL

Packed: ea



085076

085077

Koffee King Coffee Brewer, low profile, fresh brew, pour over, single brewer, 3 warmers (all lower), stepped right, stainless steel construction, NSF, UL

Packed: ea

HOT DOG STEAMER

Star Mfg.

031294

Hot Dog Steamer with Juice Tray, side-by-side hot dog steamer/bun warmer, capacity 170 hot dogs and 18 buns, tempered glass doors, stainless steel construction, 800 watts

Packed: ea



JETSTAR™ POPCORN POPPER

Star Mfg.

346065

JetStar™ Popcorn Popper, counter model, 6-oz popper kettle, (135) 1 oz. servings, magnetic latch, with infrared heat lamp, approximately 19-1/2" x 14-1/4" footprint, clear tempered glass panels, stainless steel old maid drawer, yellow top

Packed: ea



CENTAUR PLUS™ REACH-INS

Centaur

640736

640736

Centaur® Plus™ Reach-In Refrigerator, 1-section, 27"W x 34-3/10"D x 82-7/10"H, 23 cu. ft., self-contained top mount refrigeration, digital display with self diagnostic, stainless steel front and sides, interior: stainless steel sides, back and floor, (3) epoxy coated shelves, casters, field reversible door, 115V/60/1-ph, 6 amps, 3/8 HP, 10' cord and NEMA 5-15P, UL, C-UL, NSF-7, UL-471

Packed: ea



640737

Centaur® Plus™ Reach-In Refrigerator, 2-section, 54"W x 34-3/10"D x 82-7/10"H, 49 cu. ft., self-contained top mount refrigeration, digital display with self diagnostic, EZ slide out condenser, whisper quiet, stainless steel front and sides, interior: stainless steel sides, back and floor, (6) epoxy coated shelves, casters, field reversible door, 115V/60/1-ph, 9 amps, 1/2 HP, 10' cord and NEMA 5-15P, UL, C-UL, NSF-7, UL-471

Packed: ea

640738

Centaur® Plus™ Reach-In Freezer, 1-section, 27"W x 34-3/10"D x 82-7/10"H, 23 cu. ft., self-contained top mount refrigeration, digital display with self diagnostic, EZ slide out condenser, whisper quiet, stainless steel front and sides, interior: stainless steel sides, back and floor, (3) epoxy coated shelves, casters, field reversible door, 115V/60/1-ph, 11 amps, 5/8 HP, 10' cord and NEMA 5-15P, UL, C-UL, HFC 134A, NSF-7, UL-471

Packed: ea

640739

Centaur® Plus™ Reach-In Freezer, 2-section, 54"W x 34-3/10"D x 82-7/10"H, 49 cu. ft., self-contained top mount refrigeration, digital display with self diagnostic, EZ slide out condenser, whisper quiet, stainless steel front and sides, interior: stainless steel sides, back and floor, (6) epoxy coated shelves, casters, field reversible door, 115V/60/1-ph, 12 amps, 1 HP, 10' cord and NEMA 5-15P, UL, C-UL, HFC 134A, NSF-7, UL-471

Packed: ea

CENTAUR PLUS™ SANDWICH/SALAD TOP REFRIGERATOR

Centaur

640692

Centaur® Plus™ Sandwich/Salad Top Refrigerator, 1-section, 7 cu. ft., self-contained refrigeration, (8) 1/6 pans x 4" deep included, full length 5/8" thick poly-vinyl cutting board, (1) self-closing door remains open past 90°, programmable digital display with self diagnostic, EZ slide out condenser, cool air intake, stainless steel front, sides, and top, interior: white aluminum top, back, and door liner, stainless steel floor, (1) PVC coated shelf, casters (2 front brakes), field reversible door, 115V/60/1-ph, 5 amps, 3/8 HP, 10' cord and NEMA 5-15P, UL, C-UL, NSF-7, UL-471

Packed: ea



640692

640693

Centaur® Plus™ Sandwich/Salad Top Refrigerator, 2-section, 12 cu. ft., self-contained refrigeration, (12) 1/6 pans x 4" deep included, full length 5/8" thick poly-vinyl cutting board, (2) self-closing doors remain open past 90°, programmable digital display with self diagnostic, EZ slide out condenser, cool air intake, stainless steel front, sides, and top, interior: white aluminum top, back, and door liner, stainless steel floor, (2) PVC coated shelves, casters (2 front brakes), 115V/60/1-ph, 7 amps, 1/2 HP, 10' cord and NEMA 5-15P, UL, C-UL, NSF-7, UL-471

Packed: ea

CENTAUR PLUS™ PIZZA PREP TABLE

Centaur

640706

Centaur® Plus™ Pizza Prep Table, 2-section, 22 cu. ft., self-contained refrigeration, (9) 1/3 pans x 4" deep included, (2) self-closing doors remain open past 90°, programmable digital display with self diagnostic, stainless steel top, front, and sides, aluminum back, interior: white aluminum, stainless steel floor with plastic door liner, (2) PVC coated shelves, casters, 115V/60/1-ph, 9 amps, 1/2 HP, 10' cord and NEMA 5-15P, UL, C-UL

Packed: ea



COMMERCIAL SERIES REACH-INS

Hoshizaki

570300

Commercial Series Refrigerator, Reach-in, One-Section, 23.3 cu.ft., Self-Contained Refrig System, stainless steel exterior front and sides, one piece, seamless ABS interior liner, standard depth, full height solid hinged door, with (3) standard shelves, (4) 4" heavy duty casters (2 with brakes), R-134A refrigerant, 1/3 hp, ENERGY STAR®

Packed: ea

570301

Commercial Series Refrigerator, Reach-in, Two-Section, 51.0 cu.ft., Self-Contained Refrig System, stainless steel exterior front and sides, one piece, seamless ABS interior liner, standard depth, full height solid hinged door, with (6) standard shelves, (4) 4" heavy duty casters (2 with brakes), R-134A refrigerant, 1/4 hp, ENERGY STAR®

Packed: ea

570302

Commercial Series Freezer, Reach-in, One-Section, 23.3 cu.ft., Self-Contained Refrig System, stainless steel exterior front and sides, one piece, seamless ABS interior liner, standard depth, full height solid hinged door, with (3) standard shelves, (4) 4" heavy duty casters (2 with brakes), R-404A refrigerant, 3/4 hp, ENERGY STAR®

Packed: ea

570303

Commercial Series Freezer, Reach-in, Two-Section, 51.0 cu.ft., Self-Contained Refrig System, stainless steel exterior front and sides, one piece, seamless ABS interior liner, standard depth, full height solid hinged doors, with (6) standard shelves, (4) 4" heavy duty casters (2 with brakes), R-404A refrigerant, 5/8 hp, ENERGY STAR®

Packed: ea



570302

COMMERCIAL SERIES SANDWICH TOP REFRIGERATOR

Hoshizaki

570304

Commercial Series Sandwich Top Refrigerator, Reach-in, One-Section, 7.2 cu.ft., Self-Contained Refrig System, (8) 1/6 pan capacity, 1/2" thick white polyethylene cutting board, stainless steel exterior front, sides and top, solid hinged door, (1) adjustable shelves, (4) 6" stem casters (2 with brakes), R-134A refrigerant, 1/6 hp

Packed: ea

570305

Commercial Series Sandwich Top Refrigerator, Reach-in, Two-Section, 13.66 cu.ft., Self-Contained Refrig System, (12) 1/6 pan capacity, 1/2" thick white polyethylene cutting board, stainless steel exterior front, sides and top, solid hinged door, (2) adjustable shelves, (4) 6" stem casters (2 with brakes), R-134A refrigerant, 1/6 hp

Packed: ea



570304

REACH-IN REFRIGERATORS AND FREEZERS

True Food Service Equipment

640750

Refrigerator, Reach-in, one-section, stainless steel door, stainless steel front, aluminum sides, white aluminum interior with stainless steel floor, (3) adjustable PVC-coated wire shelves, interior lighting, 4" castors, 1/3 HP, 115v/60/1, 7.6 amps, 9' cord, NEMA 5-15P, cUL, UL-Energy, NSF, CE, ENERGY STAR®, MADE IN USA

Packed: ea

640760

Refrigerator, Reach-in, two-section, stainless steel doors, stainless steel front, aluminum sides, white aluminum interior with stainless steel floor, (6) adjustable PVC-coated wire shelves, interior lighting, 4" castors, 1/2 HP, 115v/60/1, 9.1 amps, 9' cord, NEMA 5-15P, MADE IN USA, cUL, UL-Energy, NSF, CE, ENERGY STAR®

Packed: ea

650185

Freezer, Reach-in, -10° F, one-section, stainless steel door, stainless steel front, aluminum sides, white aluminum interior with stainless steel floor, (3) adjustable PVC-coated wire shelves, interior lighting, 4" castors, 1/3 HP, 115v/60/1, 7.2 amps, NEMA 5-15P, 9' cord, MADE IN USA, ENERGY STAR®

Packed: ea

650195

Freezer, Reach-in, -10° F, two-section, stainless steel doors, stainless steel front, aluminum sides, white aluminum interior with stainless steel floor, (6) adjustable PVC-coated wire shelves, interior lighting, 4" castors, 3/4 HP, 115v/60/1, 11.0 amps, 9' cord, NEMA 5-15P, MADE IN USA, ENERGY STAR®

Packed: ea



650185

SANDWICH/SALAD UNITS

True Food Service Equipment

640711

Sandwich/Salad Unit, (8) 1/6 size (4"D) poly pans, stainless steel insulated cover, 11-3/4"D cutting board, series stainless steel top/front/sides, aluminum back, (1) door, (2) shelves, white aluminum interior with stainless steel floor, 5" castors, 1/5 HP, 115v/60/1, 4.9 amps, 7' cord, NEMA 5-15P, cUL, NSF, CE, MADE IN USA

Packed: ea

640712

Sandwich/Salad Unit, (12) 1/6 size (4"D) poly pans, stainless steel insulated cover, 11-3/4"D cutting board, stainless steel top, front, sides, aluminum back, (2) full doors, (4) shelves, white aluminum interior with stainless steel floor, 5" castors, 1/3 HP, 115v/60/1, 8.6 amps, 7' cord, NEMA 5-15P, cUL, NSF, CE, MADE IN USA

Packed: ea

8



640711

BOTTLE COOLER

True Food Service Equipment

640713

Bottle Cooler, flat top, (16.5cs) 12oz bottles or (24cs) 12oz can capacity, stainless steel counter top and (2) lids, barrel locks standard, well design, galvanized interior, black vinyl exterior, (3) PVC coated adjustable bin dividers, removable bottle cap opener and cap catcher, 1/3 HP, 115v/60/1, 8.8 amps, 7' cord, NEMA 5-15P, UL, CSA, NSF, CE, MADE IN USA

Packed: ea



LXE UNDERCOUNTER DISHWASHER

Hobart

640038

LXe Undercounter Dishwasher, hot water sanitation, (32) racks/hr, fresh water rinse, .74 gal/rack, delime notification, auto chemical priming, service diagnostics, detergent and rinse aid pump, 120/208-240(3W)/60/1-ph, 32.5 amps, cULus, NSF, ENERGY STAR®

Packed: ea



DOOR TYPE DISHWASHER

Hobart

640012

Dishwasher, door type, hot water/chemical sanitizing, 58-65 racks/hour, straight-thru or corner, solid-state controls with digital status, with booster heater, electric tank heat, auto-fill, stainless steel tank, frame, doors and feet, 208-240/60/3, ENERGY STAR®

Packed: ea



640012

940273

Ventless door type dishwasher, Energy recovery, Hot water sanitize, Internal condensing system, 40 racks/hr, Straight-thru or corner, Solid-state controls with digital status, Booster heater, Elec tank heat, Auto-fill, stainless steel tank, doors and feet, 208-240/60/3, ENERGY STAR®

Packed: ea

G SERIES REACH-INS

Traulsen

640068

Dealer's Choice Refrigerator, Reach-in, one-section, self-contained refrigeration, microprocessor controls, stainless steel front and full height door (hinged right), anodized aluminum sides and interior, (3) epoxy coated shelves (factory installed), 6" high casters, 1/5 HP, cULus, NSF, ENERGY STAR®

Packed: ea

640070

Dealer's Choice Refrigerator, Reach-in, one-section, self-contained refrigeration, microprocessor controls, stainless steel front and full height door (hinged left), anodized aluminum sides and interior, (3) epoxy coated shelves (factory installed), 6" high casters, 1/5 HP, cULus, NSF, ENERGY STAR®

Packed: ea

640071

Dealer's Choice Refrigerator, Reach-in, two-section, self-contained refrigeration with microprocessor control, stainless steel front and full height doors (hinged left/right), anodized aluminum sides and interior, (3) epoxy coated shelves per section (factory installed), 6" high casters, 1/3 HP, cULus, NSF, ENERGY STAR®

Packed: ea

640069

Dealer's Choice Freezer, Reach-in, one-section, self-contained refrigeration with microprocessor control, stainless steel front and full height door (hinged right), anodized aluminum sides and interior, (3) epoxy coated shelves (factory installed), 6" high casters, 1/2 hp listed, unit can be programmed to operate at -10°F, cULus, NSF

Packed: ea

640073

Dealer's Choice Freezer, Reach-in, two-section, self-contained refrigeration with microprocessor control, stainless steel front and full height doors (hinged left/right), anodized aluminum sides and interior, (3) epoxy coated shelves per section (factory installed), 6" high casters, unit can be programmed to operate at -10°F, cULus, NSF

Packed: ea



640068

E-SERIES COMPARTMENT SINKS

John Boos

510105

E-Series Compartment Sink, (1) 18"W x 18" front-to-back x 12" deep compartments, (1) 18" left drainboard, 10"H boxed backsplash with 2" return to wall at 45° and 1" tile edge, corners covered at 3/4" radius, bottom of bowl drain to 3-1/2 dia. die stamped opening, (1) set faucet holes, 18/300 stainless steel, 1-5/8" OD galvanized legs and gussets, adjustable plastic bullet feet, NSF

Packed: ea

510106

E-Series Compartment Sink, (1) 18"W x 18" front-to-back x 12" deep compartments, (1) 18" right drainboard, 10"H boxed backsplash with 2" return to wall at 45° and 1" tile edge, corners at coved 3/4" radius, bottom of bowl drain to 3-1/2 dia. die stamped opening, (1) set faucet holes, 18/300 stainless steel, 1-5/8" OD galvanized legs and gussets, adjustable plastic bullet feet, NSF

Packed: ea

510101

E-Series Compartment Sink, (3) 18"W x 18" front-to-back x 14" deep compartments, (2) 18" drainboards, 10"H boxed backsplash with 2" return to wall at 45° and 1" tile edge, corners covered at 3/4" radius, bottom of bowl drain to 3-1/2" dia. die stamped opening, (1) set faucet holes, 18/300 stainless steel, 1-5/8" OD galvanized legs and gussets, adjustable plastic bullet feet, NSF

Packed: ea



510101

HAND SINKS

John Boos

510087

Hand Sink, wall mount, 14"W x 10" front-to-back x 5" deep, faucet, all stainless steel construction (Splash Mount faucet included)

Packed: ea

510100

Hand Sink, wall mount, 14"W x 10" front-to-back x 5" deep, all stainless steel construction, with left and right side splashes (Splash Mount Faucet included) (FLYER)

Packed: ea



510087

UNDERBAR SINK

John Boos

510102

Underbar Sink, 3-compartment, 60"W x 21"D, 18/304 stainless steel construction, (3) 10" side-to-side x 14" front-to-back x 10" deep bowls, (2) 12" raised ribbed drainboards, marine edge on front and sides, 4" backsplash, includes: PBF-4-D-10 (faucet with 10" spout) and PB-OVF-BS (overflow stand pipes), galvanized legs and bracing, adjustable plastic bullet feet, NSF (weights are subject to additional packaging)

Packed: ea



GOOSE NECK SINK MIXING FAUCETS

John Boos

510103

Sink Mixing Faucet, with 5" goose neck spout, splash mounted, 4" centers, with 1/2" NPT

Packed: ea

510104

Sink Mixing Faucet, with 5" goose neck spout, deck mounted, 4" centers, with 1/2" NPT

Packed: ea



510103

SINK MIXING FAUCET

T and S Brass

192198

Sink Mixing Faucet, 12" swing nozzle, wall mounted, 8" centers on sink faucet with 1/2" IPS eccentric flanged female inlets, lever handles

Packed: ea



SERVICE SINKS

T and S Brass

192154

Service Sink Fitting, concealed by-pass mixing valves on 8" centers, roughing 2-1/2" minimum to 3-1/2" maximum center of inlets to finished wall face, braced nozzle with 3/4" garden hose thread and pail hook, without integral stops, elevated vacuum breaker

Packed: ea



192154

192148

Service Sink Faucet, 8" centers, 2-3/8" clearance from wall to center of faucet, 8-7/8" from wall to center of outlet, polished chrome plated finish, vacuum breaker nozzle with 3/4" garden hose thread and pail hook, built in screwdriver stops

Packed: ea

PRE-RINSE PARTS AND ACCESSORIES

T and S Brass

192196

Add-on Faucet, for Pre-Rinse Units, 12" nozzle, includes 3" nipple

Packed: ea



192196

192040

Spray Valve Assembly, with hold down ring and rubber bumper

Packed: ea



192040

192080

Repair Kit, for B-0107 spray valve

Packed: ea



192080

192151

Twist Waste Valve, 3-1/2" sink opening, 2" drain outlet (replaces B-3913, B-3917)

Packed: ea



192151

192110

Flex Hose, 44" flexible, inner rubber tubing, supplied on most pre-rinse units with spring action gooseneck, stainless steel

Packed: ea



192110

EASYINSTALL PRE-RINSE UNITS

T and S Brass

192095

EasyInstall Pre-Rinse Unit, wall mount. base faucet with spring check cart. and lever handles, 2" diameter flanges with 1/2" NPT female eccentric flanged inlets, 35-1/2"H, 15" overhang, 8-1/4" clearance, 18" riser, B-0107 spray valve, B-0044-H flex stainless steel hose, 6" wall bracket

Packed: ea



192095

192090

EasyInstall Pre-Rinse Unit, spring action gooseneck and hole base faucet, 18" flexible stainless steel supply lines with comp. fittings for 5/8" OD copper tubing, 45"H, 14" overhang, 19-3/8" clearance, 24" riser, spray valve (B-0107), stainless steel hose (B-0044-H) and 6" wall bracket

Packed: ea



EQUIPMENT STANDS

John Boos

356100

Equipment Stand, open base, 30" W x 24" L x 24" H, 18/430 stainless steel top with 1-1/2" turned up edge on back and both sides, galvanized legs and adjustable undershelf, plastic bullet feet, NSF, KD. Optional casters available. #953168 with brakes, #953791 no brakes. Sold by each.

Packed: ea

356101

Equipment Stand, open base, 30" W x 36" L x 24" H, 18/430 stainless steel top with 1-1/2" turned up edge on back and both sides, galvanized legs and adjustable undershelf, plastic bullet feet, NSF, KD. Optional casters available. #953168 with brakes, #953791 no brakes. Sold by each.

Packed: ea

356102

Equipment Stand, open base, 30" W x 48" L x 24" H, 18/430 stainless steel top with 1-1/2" turned up edge on back and both sides, galvanized legs and adjustable undershelf, plastic bullet feet, NSF, KD. Optional casters available. #953168 with brakes, #953791 no brakes. Sold by each.

Packed: ea



BUDGET WORK TABLES

John Boos

18/430 stainless steel top, stallion edge both faces, straight turn down on sides, adjustable stainless steel undershelf, stainless steel legs and plastic bullet feet, NSF, KD. Optional casters available.

960105	24"W x 24"D	Packed: ea
960106	36"W x 24"D	Packed: ea
960107	48"W x 24"D	Packed: ea
960100	36"W x 30"D	Packed: ea
960101	48"W x 30"D	Packed: ea
960102	60"W x 30"D	Packed: ea
960103	72"W x 30"D	Packed: ea



WALL MOUNT SHELVES

John Boos

Finished with stallion safety edge front, 1-1/2" turned up backsplash, 18/300 stainless steel with # 4 polish, NSF, KD

960108	12" W x 24" L, (2) support brackets	Packed: ea
960109	12" W x 36" L, (2) support brackets	Packed: ea
960110	12" W x 48" L, (2) support brackets	Packed: ea
960111	12" W x 60" L, (2) support brackets	Packed: ea
960112	12" W x 72" L, (3) support brackets	Packed: ea



FILLER TABLE

John Boos

960104
Filler Table, 30" W x 18" L, 18/430 stainless steel top with 1-1/2" backsplash, with Stallion safety edge front and back, 90° turndown on sides, galvanized legs and adjustable undershelf, plastic feet, NSF, KD
Packed: ea

Epoxy Finish



Chrome Finish



Wall Mount Bracket

WIRE SHELVING AND ACCESSORIES

Centaur

Open wire design. Heavy-gauge, carbon-steel shelves. Shelf assembles in minutes without the use of any special tools. Posts have circular grooves at 1" intervals. Two finish options: chrome for dry storage or green epoxy with chromate substrate for walk-in coolers and other damp environments. NSF

Shelving

Chrome	Green Epoxy	Size	
654139	654166	14" x 24"	Packed: 4 ea
654140	Special Order	14" x 30"	Packed: 4 ea
654141	654167	14" x 36"	Packed: 4 ea
654142	654168	14" x 48"	Packed: 4 ea
654143	Special Order	14" x 60"	Packed: 2 ea
654144	Special Order	14" x 72"	Packed: 2 ea
654145	654169	18" x 24"	Packed: 4 ea
654146	Special Order	18" x 30"	Packed: 4 ea
654147	654170	18" x 36"	Packed: 4 ea
654148	654171	18" x 42"	Packed: 4 ea
654149	654172	18" x 48"	Packed: 4 ea
654150	654173	18" x 54"	Packed: 2 ea
654151	654174	18" x 60"	Packed: 2 ea
654152	654175	18" x 72"	Packed: 2 ea
654153	654176	24" x 24"	Packed: 4 ea
654154	654177	24" x 30"	Packed: 4 ea
654155	654178	24" x 36"	Packed: 4 ea
654156	654179	24" x 42"	Packed: 4 ea
654157	654180	24" x 48"	Packed: 4 ea
654158	654181	24" x 54"	Packed: 2 ea
654159	654182	24" x 60"	Packed: 2 ea
654160	654183	24" x 72"	Packed: 2 ea

Posts

Chrome	Green Epoxy	Size	
654161	Special Order	34-1/2"	Packed: 4 ea
654162	654184	54-9/16"	Packed: 4 ea
654163	654185	62-9/16"	Packed: 4 ea
654164	654186	74-5/8"	Packed: 4 ea
654165	654187	86-5/8"	Packed: 4 ea

Wall Mount Brackets

		Size	
491220*	491221*	14"	Packed: 2 ea
491120*	491223*	18"	Packed: 2 ea

*Two required per shelf. Sold by each.