

# NORLAKE®

Quality Refrigeration  
Since 1947



## AdvantEDGE™ Products

*Reach-in  
Refrigerators  
and Freezers*



*Glass Door  
Refrigerator  
and Freezer  
Merchandisers*



*Bar Equipment*



*Standard and  
Mega Top*



*Sandwich  
Prep Tables*

*Pizza Prep  
Tables*

*Undercounter  
Refrigerators  
and Freezers*



*Chef Bases*

# Reach-in Refrigerators and Freezers

**AdvantEDGE™ Reach-ins offer proven reliability with many features only found in a higher end cabinet at an economized price point. These features enhance the look and operation of the unit as well as energy savings.**

- Refrigerators and freezers
- Four (4) adjustable vinyl coated shelves per door
- Available in 1, 2 or 3 door models
- Curved handle with recessed pocket
- Electronic controls with door open and condenser cleaning alarms
- Stainless steel interior and exterior
- UL, C-UL, ETL Sanitation and ENERGY STAR® \*



	Height	Width	Depth	CuFt	HP	Voltage
<b>Refrigerators</b>						
<b>NLR23-S</b>	83-3/4"	27-1/2"	33"	23.0	1/3	115/60/1
<b>NLR49-S</b>	83-3/4"	55-1/4"	33"	49.0	1/3	115/60/1
<b>NLR72-S</b>	83-3/4"	78"	33"	72.0	3/5	115/60/1
<b>Freezers</b>						
<b>NLF23-S *</b>	83-3/4"	27-1/2"	33"	23.0	3/5	115/60/1
<b>NLF49-S</b>	83-3/4"	55-1/4"	33"	49.0	4/5	115/60/1
<b>NLF72-S</b>	83-3/4"	78"	33"	72.0	1	115/60/1

**Standard Three Year Parts and Labor, Five Year Compressor Warranties**

**\*Model NLF23-S is not ENERGY STAR® listed**

# Reach-in Refrigerators and Freezers

**AdvantEDGE™ Half-Door Reach-ins provide separate sections to keep product organized and reduce cold air loss upon frequent opening.**

- Refrigerators and freezers
- Four (4) adjustable vinyl coated shelves per section
- Available in 2, 4 or 6 door models
- Curved handle with recessed pocket
- Electronic controls with door open and condenser cleaning alarms
- Stainless steel interior and exterior
- UL, C-UL, ETL Sanitation and ENERGY STAR® \*



	Height	Width	Depth	CuFt	HP	Voltage
<b>Refrigerators</b>						
NLR23-SH	83-3/4"	27-1/2"	33"	23.0	1/3	115/60/1
NLR49-SH	83-3/4"	55-1/4"	33"	49.0	1/3	115/60/1
NLR72-SH	83-3/4"	78"	33"	72.0	3/5	115/60/1
<b>Freezers</b>						
NLF23-SH *	83-3/4"	27-1/2"	33"	23.0	3/5	115/60/1
NLF49-SH	83-3/4"	55-1/4"	33"	49.0	4/5	115/60/1
NLF72-SH	83-3/4"	78"	33"	72.0	1	115/60/1

**Standard Three Year Parts and Labor, Five Year Compressor Warranties**

**\*Model NLF23-SH is not ENERGY STAR® listed**

# Reach-in Refrigerators

**AdvantEDGE™ Glass Door Reach-in Refrigerators offer the same reliability and features but with full length glass doors for easy viewing.**

- Four (4) adjustable vinyl coated shelves per door
- Available in 1, 2 or 3 door models
- Interior LED light
- Electronic controls with door open and condenser cleaning alarms
- Stainless steel interior and exterior
- UL, C-UL, ETL Sanitation and ENERGY STAR®



	Height	Width	Depth	CuFt	HP	Voltage
<b>Reach-ins</b>						
<b>NLR23-G</b>	83-3/4"	27-1/2"	33"	23.0	1/3	115/60/1
<b>NLR49-G</b>	83-3/4"	55-1/4"	33"	49.0	1/3	115/60/1
<b>NLR72-G</b>	83-3/4"	78"	33"	72.0	3/5	115/60/1

**Standard Three Year Parts and Labor, Five Year Compressor Warranties**

# Sandwich Prep Tables

**AdvantEDGE™ Sandwich Prep Tables are designed with operators in mind with unique features such as an insulated lid to handle even very warm environments and extra levels to maintain easy access for cleaning.**

- Stainless steel interior and exterior
- Self-closing doors
- Front breathing design allows for zero-clearance installation on sides and back
- Standard condenser filter screen, removable without tools, for easy condenser coil cleaning resulting in peak efficiency and extended equipment life
- Cutting board and casters standard
- 1/6 size pans included - 4" deep pans are standard but unit will accept 6" deep pans
- Optional drawers and 1 or 2 tier overshelf available
- UL, C-UL and ETL Sanitation



	Height	Width	Depth	CuFt	HP	Voltage	1/6 Pan Capacity
<b>Standard Top</b>							
NLSP27-8A	43-3/4"	27-1/2"	30"	7.2	1/5	115/60/1	8
NLSP36-10A	43-3/4"	36"	30"	9.9	1/5	115/60/1	10
NLSP48-12A	43-3/4"	48"	30"	13.4	3/8	115/60/1	12
NLSP60-16A	43-3/4"	60"	30"	16.2	3/8	115/60/1	16
NLSP72-18A	43-3/4"	72"	30"	20.4	3/8	115/60/1	18
<b>Mega Top</b>							
NLSMP27-12A	44-5/8"	27-1/2"	36-7/8"	7.2	1/5	115/60/1	12
NLSMP36-15A	44-5/8"	36"	36-7/8"	9.9	1/5	115/60/1	15
NLSMP48-18A	44-5/8"	48"	36-7/8"	13.4	3/8	115/60/1	18
NLSMP60-24A	44-5/8"	60"	36-7/8"	16.2	3/8	115/60/1	24
NLSMP72-30A	44-5/8"	72"	36-7/8"	20.4	3/8	115/60/1	30

**Standard Three Year Parts and Labor, Five Year Compressor Warranties**

# Pizza Prep Tables

**AdvantEDGE™ Pizza Prep Tables are a great fit for any space with optional drawers and shelving to keep ingredients close.**

- Stainless steel interior and exterior
- Self-closing doors
- Cutting board and casters standard
- 1/3 size pans included - 4" deep pans are standard but unit will accept 6" deep pans
- Optional drawers and 1 or 2 tier overshelf available
- UL, C-UL and ETL Sanitation



	Height	Width	Depth	CuFt	HP	Voltage	Capacity 1/3 Pans
<b>Pizza Preps</b>							
<b>NLPT44</b>	42-2/5"	44-2/5"	36-3/5"	9.7	3/8	115/60/1	6
<b>NLPT67</b>	42-2/5"	67"	36-3/5"	17.8	3/8	115/60/1	9
<b>NLPT93</b>	42-2/5"	93-2/5"	36-3/5"	27.2	1/2	115/60/1	12

**Standard Three Year Parts and Labor, Five Year Compressor Warranties**

# Undercounter Refrigerators and Freezers

**AdvantEDGE™ Undercounter Refrigerators and Freezers are perfect for demanding environments that require large amounts of food close to cooking units.**

- Stainless steel interior and exterior
- Casters standard
- Refrigerator models available with glass doors
- Condenser filter screen, removable without tools, for easy condenser coil cleaning resulting in peak efficiency and extended equipment life
- Front breathing desing which allows for zero-clearance installation on sides, back, and top
- UL, C-UL, ETL Sanitation



	Height	Width	Depth	CuFt	HP	Voltage
<b>Refrigerators</b>						
NLUR27A	36"	27-1/2"	30"	7.2	1/5	115/60/1
NLUR36A	36"	36"	30"	9.9	1/5	115/60/1
NLUR48A	36"	48"	30"	13.4	1/5	115/60/1
NLUR60A	36"	60"	30"	16.2	3/8	115/60/1
NLUR72A	36"	72"	30"	20.5	3/8	115/60/1
NLURG27A	36"	27-1/2"	31-1/2"	7.2	1/5	115/60/1
NLURG36A	36"	36"	31-1/2"	9.9	1/5	115/60/1
NLURG48A	36"	48"	31-1/2"	13.4	1/5	115/60/1
NLURG60A	36"	60"	31-1/2"	16.2	3/8	115/60/1
NLURG72A	36"	72"	31-1/2"	20.5	3/8	115/60/1
<b>Freezers</b>						
NLUF27A	36"	27-1/2"	30"	7.2	1/3	115/60/1
NLUF48A	36"	48"	30"	13.4	1/2	115/60/1
NLUF60A	36"	60"	30"	16.2	1/2	115/60/1

**Standard Three Year Parts and Labor, Five Year Compressor Warranties**

# Chef Base Stands

**AdvantEDGE™ Chef Base Stands are perfect for demanding environments that require large amounts of food close to cooking units.**



- Stainless steel interior and exterior
- Chef Base drawers will hold 4" deep pans
- Casters standard
- Curved handle with recessed pocket
- UL, C-UL, ETL Sanitation

	Height	Width	Depth	CuFt	HP	Voltage
<b>Chef Bases</b>						
<b>NLCB36</b>	25-1/2"	36"	31"	4.9	1/5	115/60/1
<b>NLCB48</b>	25-1/2"	48"	31"	8.2	1/5	115/60/1
<b>NLCB53</b>	25-1/2"	53"	31"	9.8	1/5	115/60/1
<b>NLCB60</b>	25-1/2"	60"	31"	9.8	1/5	115/60/1
<b>NLCB72</b>	25-1/2"	72"	31"	14.3	1/5	115/60/1
<b>NLCB84</b>	25-1/2"	84"	31"	17.2	3/8	115/60/1
<b>NLCB96</b>	25-1/2"	96-1/16"	31"	21.4	3/8	115/60/1

# Glass Door Refrigerators

**AdvantEDGE™ Glass Door Refrigerator provides large storage opportunities with an attractive and durable showcase.**



- Three door model with swing door
- White painted steel interior, black painted steel exterior
- 4 vinyl coated shelves per door
- Base mount refrigeration system
- Standard Three Year Parts and Labor, Five year Compressor Warranties
- UL, C-UL and ETL Sanitation

**Countertop Refrigerator Merchandisers are the perfect fit for eye-level merchandising. A glass front door provides optimal product vision.**



- White painted steel interior, black painted steel exterior
- 2 epoxy coated shelves
- 248 12 oz. can capacity
- LED light
- Standard One Year Parts and Labor, Three year Compressor Warranties
- UL, C-UL and ETL Sanitation

	Height	Width	Depth	CuFt	HP	Voltage
<b>Uprights</b>						
<b>NLGR70H-B</b>	79"	78"	33"	70.0	3/5	115/60/1
<b>Countertop</b>						
<b>NLCTM7-B</b>	38"	21-1/4"	25-1/4"	7	1/5	115/60/1



# Glass Door Merchandisers

**AdvantEDGE™ Merchandisers are designed for high-volume merchandising with adjustable door hinges and antimicrobial handles. Sound deadening mechanisms cater to front-of-house display opportunities.**

- Available in 1 (standard and large capacity), 2 and 3 door models
- Swing or slide doors (Refrigerators)
- Swing doors only (Freezers)
- White or black painted steel exterior
- White painted steel interior with stainless steel floor
- Interior LED lighting
- 4 adjustable epoxy coated shelves per door
- Self-contained bottom mount refrigeration system
- UL, C-UL Safety, and UL Sanitation



	Height	Width	Depth	CuFt	HP	Voltage
<b>Refrigerators</b>						
NLGRP23-HG	79"	27"	30"	22.1	1/5	115/60/1
NLGRP27-HG	79"	30"	30"	25.0	1/5	115/60/1
NLGRP48-HG NLGRP48-SL	79"	52"	30"	45.7	1/3	115/60/1
NLGRP74-HG NLGRP74-SL	79"	78"	30"	70.2	1/2	115/60/1
<b>Freezers</b>						
NLGFP23-HG	79"	27-1/2"	30"	22.1	3/4	115/60/1
NLGFP27-HG	79"	30"	30"	25.0	3/4	115/60/1
NLGFP48-HG	79"	52"	30"	45.7	1	115/60/1
NLGFP74-HG	79"	78"	30"	70.2	1-1/4	115/208-230/60/1

**Standard Three Year Parts and Labor, Five Year Compressor Warranties**

# Bar Equipment

**AdvantEDGE™ Refrigerated Bottle Coolers feature reinforced sliding lids with lid locks standard.**

- Stainless steel top and sliding covers
- Stainless steel floor
- Black vinyl coated front, sides and back
- Large capacity removable cap catcher with bottle opener
- Easy to access floor drain
- UL, C-UL Safety and ETL Sanitation (US & Canada)



	Height	Width	Depth	CuFt	HP	Voltage	Capacity (12 oz.)	
							Cans	Bottles
<b>Bottle Coolers</b>								
<b>NLBC50</b>	33-1/2"	50"	26-1/2"	14.8	3/8	115/60/1	857	377
<b>NLBC65</b>	33-1/2"	64-1/2"	26-1/2"	20.1	3/8	115/60/1	1191	539
<b>NLBC80</b>	33-1/2"	80-1/2"	26-1/2"	26.0	3/8	115/60/1	1575	715
<b>NLBC95</b>	33-1/2"	95-9/16"	26-1/2"	31.3	3/8	115/60/1	1893	877

**Standard Three Year Parts and Labor, Five Year Compressor Warranties**

# Bar Equipment

**AdvantEDGE™ Direct Draw Beer Coolers provide consistent cooling from keg to glass with continuous cold air circulation in towers.**

- Heavy duty stainless steel top
- Black vinyl coated front, sides and back
- Stainless steel draft tower(s)
- Single keg model is standard with casters
- ETL Sanitation, UL, and C-UL Safety; approved to NSF standard for packaged food products



	Height	Width	Depth	CuFt	HP	Voltage	Keg Capacity
<b>Direct Draws</b>							
<b>NLDD24</b>	39-1/4"	23-3/8"	30-3/4"	7.9	1/5	115/60/1	1
<b>NLDD59</b>	37"	59"	29-1/8"	19.4	3/8	115/60/1	2**
<b>NLDD69</b>	37"	69-1/8"	29-1/8"	23.4	3/8	115/60/1	3
<b>NLDD79</b>	37"	80-3/4"	29-1/8"	27.9	3/8	115/60/1	4
<b>NLDD95</b>	37"	95-1/4"	29-1/8"	33.6	3/8	115/60/1	5

\*\* NLDD59 will hold (2) 1/2 barrel kegs and (1) slim quarter barrel.

**Standard Three Year Parts and Labor, Five Year Compressor Warranties**

# Bar Equipment

**AdvantEDGE™ Back Bar Refrigeration is constructed with heavy-duty glass or solid doors and a highly illuminated base to showcase your products.**

- Solid or glass doors
- Stainless steel top and black vinyl coated exterior front, sides and back
- Galvanized steel interior with stainless steel floor
- Interior LED lights
- ETL Sanitation, UL, and C-UL Safety; approved to NSF standard for packaged food products



	Height	Width	Depth	CuFt	HP	Voltage	Capacity (12 oz.)	
							Cans	Bottles
<b>Standard</b>								
NLBB59 NLBB59G	37"	59"	28-1/4"	19.4	3/8	115/60/1	1084	498
NLBB69 NLBB69G	37"	69-1/8"	28-1/4"	23.4	3/8	115/60/1	1299	594
NLBB79 NLBB79G	37"	76-1/2"	28-1/4"	27.9	3/8	115/60/1	1566	714
NLBB95 NLBB95G	37"	91"	28-1/4"	33.6	3/8	115/60/1	1875	858
<b>Shallow Depth</b>								
NLBB48N NLBB48NG	35-3/8"	48-1/8"	26"	11.6	3/8	115/60/1	714	366
NLBB60N NLBB60NG	35-3/8"	60-1/8"	26"	15.6	3/8	115/60/1	966	468
NLBB72N NLBB72NG	35-3/8"	72-1/8"	26"	19.6	3/8	115/60/1	1218	588



**NORLAKE**

727 Second Street • Hudson, Wisconsin 54016  
800-955-5253 • 715-386-4291 FAX • www.norlake.com



04/17 146620

**Standard Three Year Parts and Labor, Five Year Compressor Warranties**

**Specifications subject to change without notice.**